



# Dayville School District 16J

## Healthy and Safe Schools Plan

### Introduction

In 2017, the Oregon State Legislature passed SB 1062, which requires that, every school district, education service district, and public charter school develop a Healthy and Safe Schools Plan (HASS Plan). Each organization's HASS Plan has specific requirements that must be included for the HASS Plan to comply with state law. All HASS Plans are due to the Oregon Department of Education by July 1, 2019. Additionally, each school district, education service district, and public charter school is required to certify annually that the organization continues to comply with the requirements of the HASS Plan by filing an Annual Statement. The following plan was developed to meet these requirements.

#### 1. Responsible Person

The person responsible for administering and implementing the Healthy and Safe Schools Plan:

---

Name: Kathryn Hedrick

Position Title: Superintendent/Principal  
Phone Number: (541) 987-2412  
Email Address: [hedrickk@grantesd.k12.or.us](mailto:hedrickk@grantesd.k12.or.us)  
Mailing Address: PO Box C  
285 Schoolhouse Drive  
Dayville, OR 97285

The person who is the designated IPM Coordinator:

Name: Lonnie Dickens

Position Title: Maintenance/Custodial  
Phone Number: (541) 987-2412  
Email Address: [dickensl@grantesd.k12.or.us](mailto:dickensl@grantesd.k12.or.us)  
Mailing Address: PO Box C  
285 Schoolhouse Drive  
Dayville, OR 97285

The person responsible for AHERA information:

Name: Lonnie Dickens

Position Title: Maintenance/Custodial

Phone Number: (541) 987-2412

Email Address: [dickensl@grantesd.k12.or.us](mailto:dickensl@grantesd.k12.or.us)

Mailing Address: PO Box C  
285 Schoolhouse Drive  
Dayville, OR 97285

## 2. List Facilities

All facilities owned or leased by Dayville School District where students or staff are present on a regular basis are covered by this HASS Plan. The list of those buildings and facilities is below:

Facility Name	Facility Address
Elementary School	285 Schoolhouse Drive, Dayville, OR 97285
High School	285 Schoolhouse Drive, Dayville, OR 97285
Maintenance/Tech	285 Schoolhouse Drive, Dayville, OR 97285
Athletic Facility	430 Ervin Street, Dayville, OR 97285
District House & Garage	280 Schoolhouse Drive, Dayville, OR 97285

## 3. Elevated Levels of Lead in Water Used for Drinking or Food Preparation

All school districts, education service districts, and public charter schools are required to test for and eliminate exposure to elevated levels of lead in water used for Drinking and Food Preparation through either remediation or eliminating access, according to OAR 333-061-0400 and OAR 581-022-2223. In conformance with those administrative rules, Dayville School District certifies the following:

1. All testing was done according to the testing requirements in OAR 333-061-0400;
2. All samples were analyzed by a lab accredited by Oregon Health Authority to test for those materials;
3. All water fixtures required to be tested under OAR 333-061-0400 were tested for elevated levels of lead in accordance with the testing schedule developed by the Oregon Health Authority; and
4. The testing schedule for each building covered by this plan is set forth below:

Facility Name	Year of Last Test	Next Scheduled Test (Beginning of 6 year schedule)	Schedule or Exemption Reason
Elementary School	2017	2021 fiscal year	6 year schedule
High School	2017	2021 fiscal year	6 year schedule
Maintenance/Tech	N/A	2021 fiscal year	6 year schedule



Facility Name	Year of Last Test	Next Scheduled Test (Beginning of 6 year schedule)	Schedule or Exemption Reason
Athletic Facility	N/A	2021 fiscal year	6 year schedule
District House & Garage	N/A	2021 fiscal year	6 year schedule

#### 4. Lead Paint

In order to comply with the United States Environmental Protection Agency's Renovation, Repair and Painting Program Rule, the district will either contract only with certified lead based paint renovation contractors licensed by the Oregon Construction Contractors Board, or use District staff that are certified by the Oregon Health Authority to perform the work.

#### 5. Asbestos

Dayville School District complies with the federal Asbestos Hazard Emergency Response Act (AHERA). All required asbestos management plans are available for viewing by submitting a request to Lonnie Dickens, [dickensl@grantesd.k12.or.us](mailto:dickensl@grantesd.k12.or.us) or (541) 987-2412.

#### 6. Radon

Dayville School District has developed a radon plan as required by ORS 332.345. Community members can access a copy of the radon plan here: [Radon Plan](#) Test results will be made public and are available here: [Radon Test Results](#)

#### 7. Integrated Pest Management

Dayville School District has adopted an Integrated Pest Management (IPM) plan as required by ORS 634.700 through 634.750. Community members can access a copy of the IPM plan here: [IPM Plan](#)

#### 8. Carbon Monoxide Detectors

Dayville School District certifies that all buildings subject to the Healthy and Safe Schools Plan comply with the carbon monoxide detection standards in the state building code that was in effect when the building was originally constructed or as required by building code due to addition, upgrade, or remodel.

#### 9. Test Results Publication

Dayville School District is complying with the requirement to provide access to test results, as defined by OAR 581-022-2223 within 10 business days as defined by ORS 332.334. Test results can be found on the district's website at: <https://www.dayvilleschools.com/> under the Healthy and Safe Schools tab.

Specific test results can be found as follows:

- Lead in Water: [Lead in Water Test Results](#)
- Radon: [Radon Test Results](#)

Additionally, copies of all test results are available at the Dayville District Office located at 280 Schoolhouse Drive, Dayville, OR 97825. Dayville School will also use current district email lists or communications programs to provide final test results to staff, students, parents of minor students, and other members of the community. This includes providing actual final test results or providing direct access to final test results through links in the communications. Please contact Lori Smith at [smithl@grantesd.k12.or.us](mailto:smithl@grantesd.k12.or.us) to be added to current district email list.

**I certify that the above information is true and accurate to the best of my knowledge.**

Kathryn Hedrick	Superintendent/Principal	6/25/2020
Electronic signature of authorized representative	Title	Date